

# **DIRECTORY of MEMBERS**



CSC Construction Specifications Canada **Devis de Construction Canada** 



# **RÉPERTOIRE des MEMBRES**



# **CSC Directory of Members**

۲

Communicate • Educate • Collaborate





Advertising in the CSC 2024/2025 Directory of Members gives your company national exposure to AEC professionals representing all segments of the construction industry year round.

The directory offers immediate access to CSC members' contact infomation whether in print or online.

In addition to member contact information, this user-friendly digest-size publication includes upcoming CSC events such as the annual conference.

There as never been a better cost-effective opportunity to reach construction experts from coast-to-coast then with an advertisment in the CSC 2024/2025 Directory of Members.

### Act now! Book your advertisment today!

#### Clafton Fiola, CAE • 416-777-2198, ext. 25 • clafton@csc-dcc.ca

**Space closing:** September 9, 2024 Material closing: September 16, 2024



Construction Specifications Canada Devis de Construction Canada



Page 2

 $( \bullet )$ 

# **CSC Directory of Members** Ad Mechanical Spec Sheet

۲

CSC

## For advertising and marketing information, call:

Clafton Fiola, CAE Construction Specifications Canada Tel: 416-777-2198, ext. 25 E-mail: clafton@csc-dcc.ca

 $( \bullet )$ 



Ad Size	Width	Depth	Price
Outside Back Cover Inside Front Cover Inside Back Cover	6" 6" 6"	8-1/4" 8-1/4" 8-1/4"	\$2750 1750 1750
Full Page	6″	8-1/4″	1295
1/2 Horizontal	5-1/2″	3-7/8″	775
Business Card	3-5/8″	1-3/4″	395
Rates posted are net and in Canadian funds.			

### **Mechanical Specifications**

Trim Size:	6″	8-1/4″
Bleed:	6-1/4″	8-1/2″
Live:	5-1/2″	7-3/4″

### **DELIVERY:**

FTP: ftp://ftp.kenilworth.com Admin user account: cscadmin Password: csc7206ad

### Mail:

Deliver advertising material (charges prepaid) to: Construction Specifications Canada 120 Carlton St., Suite 312 Toronto, ON M5A 4K2 ( )



Ad Size (please check  $\sqrt{appropriate box}$ )

	<u>Width</u>	<u>Depth</u>	<u>Price (Cdn. \$\$)</u>
<ul> <li>Outside Back Cover</li> <li>Inside Front Cover</li> <li>Inside Back Cover</li> <li>Full Page</li> <li>½ Horizontal</li> <li>Business Card</li> </ul>	6" 6" 6" 5-1/2" 3-5/8"	8-1/4" 8-1/4" 8-1/4" 8-1/4" 3-7/8" 1-3/4"	\$2750 1750 1750 1295 775 395

▶ Billing Information – *NOTE: Applicable taxes will be applied to your invoice.* 

► For Ad Submissions, please review the Mechanical Specs sheet at http://csc-dcc.ca/Membership

۲

Mechanical Specifications		
Trim Size	6"	8-1/4"
Bleed	6-1/4"	8-1/2"
Live	5-1/2"	7-3/4"

( )

I will submit new advertising material YES NO (please circle one)

I will repeat the advertisement from last year YES NO (please circle one)

Contact Name:		
Company:		
Address:		
City: Province	e / State:	Postal Code / Zip:
Phone: () E	E-mail:	
Please bill me using Purchase Order #		
Cheque Enclosed: # Cr	edit Card Type:	
Credit Card Holders Name: (please print):		
Credit Card Number:	Expiry Date:	Security Code:
Card Holders Signature:	Date:	
For advertising information call: Clafton Fiola, CAE • 416-777-2198, ext. 25 • E-mail	clafton@csc-dcc.ca	Space closing: September 8, 2024 Material closing: September 15, 2024

· Construction Specifications Canada•Devis de Construction Canada

120 Carlton Street, Suite 312, Toronto, Ontario, M5A 4K2 • Tel(416) 777-2198 • Fax(416) 777-2197 (Toronto)• Fax (800) 668-5684 (Canada) E-mail: info@csc-dcc.ca • WebSite: www.csc-dcc.ca ۲



#### **Advertising Specifications**

- Digital 4-colour process files only (CMYK\*).
- PDF/X files preferred.
- Maximum 23 characters in file name.
- Ad material will be stored for 12 months and then discarded unless otherwise advised in writing by the advertiser or agency.
- The publisher is not responsible for changes to advertising material resulting from incorrect file preparation. Charges, billed at an hourly rate, may apply to alterations made to client files due to errors in ad size, type, or file format.

#### **Supported Platforms**

MAC, PC

#### **Supported Applications**

#### Adobe Distiller/Acrobat® X

- Convert all PMS/RGB colours to CMYK\* prior to creating a PDF.
- Save all PDF files as PDF/X.

#### Adobe InDesign® CC

 Include all fonts and supporting graphics. Graphics should be placed at a minimum of 300 dpi at 100% of size for continuous tone and 1200 dpi for line-art. All placed graphics should be saved as TIF, EPS or PDF/X. Use "Package" whenever possible and provide a preflight report.

#### Adobe Illustrator<sup>®</sup> CC

• Convert all PMS/RGB colours to CMYK\*. Graphics should be placed at a minimum of 300 dpi at 100% of size for continuous tone and 1200 dpi for line-art. Do not embed images unless originals are supplied. Supply all fonts or convert all text to outlines. Overprinting white text or colouring with 0% of another colour will not print. **Note:** outlined text cannot be altered.

## **Mechanical Specs**

#### Adobe Photoshop® CC

- Convert all PMS/RGB colours to CMYK\*.
- Supply all fonts or rasterize all type. Save file as a EPS, JPG, PDF or TIF with no JPG or LZW compression. Rasterized type cannot be altered.

#### Eps/Tif

- EPS and TIF files from other applications will be accepted but must be a minimum of 300 dpi at 100% of size and have all fonts outlined. Do not compress these files.
- Images or logos downloaded or saved from the Web are not usable for print.

#### Fonts/Text

- OpenType and PostScript Type 1, 2 or 3 fonts will be accepted. Provide both screen and printer fonts.
- If a font is not submitted with your advertising material, an attempt will be made to match the font as closely as possible. This may result in text reflow.
- Black text should be created at 100% black to avoid registration problems. Registration cannot be guaranteed for 4-colour black type.

#### Proofs

Publisher shall not be responsible for colour or colour trapping or advertising copy that does not include a Specifications for Web Offset Publications (SWOP) standard proof.<sup>†</sup> For more information on soft proofs, visit www.magazinescanada.ca/uploads/File/files/ soft%20proofing-WP%20FINAL%20DOC.pdf

#### Accepted Media

#### CD-R, DVD-R

• Save files with ISO-9660 standard, readable by both Mac and PC Platforms. Label all media with the name of the publication, issue date, agency name, contact name, return address and phone number.

For further assistance with file preparation contact Production at (905) 771-7333 or (800) 409-8688 or e-mail production@kenilworth.com.

\* Files in RGB colour space will not separate correctly. All RGB files will be converted to CMYK. The publisher is not responsible for shifts in colour due to the file conversion. † For more information on SWOP standards, visit www.swop.org.